





1" Trims

November 2024

Forma Steel Counter



Pos. 1 - **Name:** 100FT -- 1" Finish Trim
Material: Colour24ga SMP - Gr80 | 0.015 inch |
- To Be Determined
Blank: 4.5 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
1.1	17954	120.000	1	0	3.767



Pos. 2 - **Name:** 10BB -- 1" Box Base
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.125 inch, **Bendings:** 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
2.1	17956	120.000	1	0	5.92







1" Trims

November 2024




Pos. 3 - **Name:** 10CB -- 1" Concrete Base **Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4.75 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
3.1	17957	120.000	1	0	3.983



Pos. 4 - **Name:** 10D -- 1" Drip - 1 **Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5.188 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
4.1	17958	120.000	1	0	4.306







1" Trims

November 2024




Pos. 5 - **Name:** 10D2 -- 1" Drip 2
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.876 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
5.1	17959	120.000	1	0	5.705



Pos. 6 - **Name:** 10GD -- 1" Gable Divider
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5.75 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
6.1	17960	120.000	1	0	4.844





1" Trims

November
2024




Pos. 7 - **Name:** 10H1 - 1"H Channel (Requires 1pc "L" Flash Per)

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 6.688 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
7.1	17961	120.000	1	0	5.597




Pos. 8 - **Name:** 10HD -- 1" Header Drip J - 1

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 6.188 inch, **Bendings:** 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
8.1	17962	120.000	1	0	5.167





1" Trims

November 2024





Pos. 9 - **Name:** 10J1 -- 1" J Channel - 1

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 5.688 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
9.1	17963	120.000	1	0	4.736




Pos. 10 - **Name:** 10J2 -- 1" J Channel - 2


Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 8.125 inch, **Bendings:** 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
10.1	17964	120.000	1	0	6.781




Pos. 11 - **Name:** 10JA -- 1" 2pc J Channel - Inner (1 of 2)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 3.5 inch, **Bendings:** 2




Pos.	ID	Length [inch]	Amount	lbs	sqft
11.1	17965	120.000	1	0	2.906



Pos. 12 - **Name:** 10JB -- 1"2pc J Channel - Outer (2 of 2)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 2.75 inch, **Bendings:** 2




Pos.	ID	Length [inch]	Amount	lbs	sqft
12.1	17966	120.000	1	0	2.26





1" Trims

November 2024




Pos. 13 - **Name:** 10OC -- 1" OSC

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 16.626 inch, **Bendings:** 7

Pos.	ID	Length [inch]	Amount	lbs	sqft
13.1	17967	120.000	1	0	13.885





Pos. 14 - **Name:** Blank -1"3pc OSC Cap 4x4 (Req2pc L FlshPer)

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 12.376 inch, **Bendings:** 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
14.1	17968	120.000	1	0	10.333







1" Trims

November 2024




Pos. 15 - **Name:** 10L -1" L Flash
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 3.063 inch, **Bendings:** 1

Pos.	ID	Length [inch]	Amount	lbs	sqft
15.1	17969	120.000	1	0	2.583



Pos. 16 - **Name:** 10RD -- 1" Reverse Drip
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5.188 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
16.1	17970	120.000	1	0	4.306







1" Trims

November 2024




Pos. 17 - **Name:** 10ST -- 1" Starter Strip
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 2.5 inch, **Bendings:** 2



Pos.	ID	Length [inch]	Amount	lbs	sqft
17.1	17971	120.000	1	0	2.045



Pos. 18 - **Name:** Blank -- 1" Spacer
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 3.976 inch, **Bendings:** 2



Pos.	ID	Length [inch]	Amount	lbs	sqft
18.1	17972	120.000	1	0	3.337





Pos. 19 - **Name:** 10VD -- 1" Vertical Divider
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.126 inch, **Bendings:** 8

Pos.	ID	Length [inch]	Amount	lbs	sqft
19.1	17973	120.000	1	0	5.92



Pos. 20 - **Name:** 10IC - (Requires 1 "L" Flash Per)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.375 inch, **Bendings:** 6


Pos.	ID	Length [inch]	Amount	lbs	sqft
20.1	17974	120.000	1	0	6.135



1-1/2" STANDARD TRIMS


November 2024

Forma Steel Counter




Pos. 1 - **Name:** 15LF - 1.5" L FLASH (OSC, ISC, HCHAN)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 3 inch, **Bendings:** 1


Pos.	ID	Length [inch]	Amount	lbs	sqft
1.1	17985	120.000	1	0	2.476



Pos. 2 - **Name:** Blank - 1.5" 3PC OSC CAP (4 1/2 X 4 1/2)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 14 inch, **Bendings:** 5




Pos.	ID	Length [inch]	Amount	lbs	sqft
2.1	17986	120.000	1	0	11.625





1-1/2" STANDARD TRIMS

November 2024



Pos. 3 - **Name:** 150C - 1.5" OSC 4 1/2" X 4 1 1/2"

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined


Blank: 18.25 inch, **Bendings:** 7

Pos.	ID	Length [inch]	Amount	lbs	sqft
3.1	17987	120.000	1	0	15.177

Pos. 4 - **Name:** 15J1 - 1.5" J CHANNEL 1

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 6 inch, **Bendings:** 4




Pos.	ID	Length [inch]	Amount	lbs	sqft
4.1	17988	120.000	1	0	4.951





1-1/2" STANDARD TRIMS

November 2024




Pos. 5 - **Name:** 15J2 - 1.5" J CHANNEL 2
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 8.775 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
5.1	17989	120.000	1	0	7.319




Pos. 6 - **Name:** 15BB - 1 1/2" - Box Base
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.75 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
6.1	17990	120.000	1	0	6.458



1-1/2" STANDARD TRIMS

November 2024





Pos. 9 - **Name:** 15D1 - 1.5" DRIP 1

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 5.5 inch, Bendings: 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
9.1	17993	120.000	1	0	4.628




Pos. 10 - **Name:** 15D2 - 1.5" DRIP 2

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 7.5 inch, Bendings: 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
10.1	17994	120.000	1	0	6.243





1-1/2" STANDARD TRIMS

November 2024





Pos. 11 - **Name:** 15CB - 1.5" CONCRETE BASE

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 4.875 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
11.1	17995	120.000	1	0	4.09




Pos. 12 - **Name:** 15H - 1.5" H CHANNEL **Material:**

Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 7.125 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
12.1	17996	120.000	1	0	5.92





1-1/2" STANDARD TRIMS



November 2024



Pos. 13 - **Name:** 15JA - 1.5" 2 PC J CHANNEL (1 OF 2)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 4 inch, **Bendings:** 3


Pos.	ID	Length [inch]	Amount	lbs	sqft
13.1	17997	120.000	1	0	3.337



Pos. 1 - **Name:** 15JB - 1.5" 2PC J CHANNEL (2 OF 2)
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 3.125 inch, **Bendings:** 3


Pos.	ID	Length [inch]	Amount	lbs	sqft
1.1	24051	120.000	1	0	2.583





1-1/2" STANDARD TRIMS

November 2024




Pos. 15 - **Name:** 15RD - 1.5" REVERSE DRIP

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 5.375 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
15.1	17999	24.000	1	0	0.861

180° 40° 95°
0.500" 0.500" 1.625" 2.750"



Pos. 16 - **Name:** 15VD - 1.5" VERTICAL DIVIDER

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined


Blank: 8.5 inch, **Bendings:** 8

Pos.	ID	Length [inch]	Amount	lbs	sqft
16.1	18000	24.000	1	0	1.399

-180° -90° 90° 90° -90° -180°
0.500" 1.250" 1.625" 1.750" 1.625" 1.250" 0.500"





1-1/2" STANDARD TRIMS
March 2021




Pos. 17 - **Name:** 15ST - 1.5" STARTER STRIP
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 2.5 inch, **Bendings:** 2

Pos.	ID	Length [inch]	Amount	lbs	sqft
17.1	18001	24.000	1	0	0.431



Pos. 18 - **Name:** 15SP - 1.5" SPACER
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4.5 inch, **Bendings:** 2

Pos.	ID	Length [inch]	Amount	lbs	sqft
18.1	18002	24.000	1	0	0.753







1-1/2" STANDARD TRIMS

November 2024



Pos. 19 - **Name:** Blank - 1 1/2" Finish Trim
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4.5 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
19.1	18003	120.000	1	0	3.767



Pos. 20 - **Name:** 15IC - (Requires 1 "L" Flash Per)
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.875 inch, **Bendings:** 6


Pos.	ID	Length [inch]	Amount	lbs	sqft
20.1	18004	120.000	1	0	6.566







1-1/2" STANDARD TRIMS

November 2024




Name: 1.5SSG -, 1.5" Standing Seam - Gable
Material: Colour24ga SMP - Gr33 | 0.024 inch | - To Be Determined

Line	ID	Length	Bends	Blank	Qty
1.1	78865	120.000	5	8.375	1



Name: 1.5SSSW - 1.5" Standing Seam - Sidewall
Material: Colour24ga SMP - Gr33 | 0.024 inch | - To Be Determined


Line	ID	Length	Bends	Blank	Qty
2.1	78866	120.000	3	8	1





1-1/2" STANDARD TRIMS

November 2024





Name: 1.5SSLE2 - 1.5" Standing Seam - Locking Eave High *8:12 or Greater Slope*

Material: Colour24ga SMP - Gr33 | 0.024 inch | - To Be Determined

Remark: *8:12 and Higher Slope*


Line	ID	Length	Bends	Blank	Qty
3.1	78867	120.000	5	7.375	1



Name: 15SSLE1 - 1.5" Standing Seam - Locking Eave

Material: Colour24ga SMP - Gr33 | 0.024 inch | - To Be Determined

Line	ID	Length	Bends	Blank	Qty
4.1	78868	120.000	4	7	1






2" MECHANICAL LOCK

March 2021

Forma Steel Counter




Pos. 1 - **Name:** 200EL312

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 9.53 inch, **Bendings:** 6


Pos.	ID	Length [inch]	Amount	lbs	sqft
1.1	18027	120.000	1	0	7.965




Pos. 2 - **Name:** 200PS - Panel Support

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 9.598 inch, **Bendings:** 5




Pos.	ID	Length [inch]	Amount	lbs	sqft
2.1	18028	120.000	1	0	7.965






2" MECHANICAL LOCK

March 2021



Pos. 3 - **Name:** 200BG Open Hem at Bottom End
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 11.688 inch, **Bendings:** 8

Pos.	ID	Length [inch]	Amount	lbs	sqft
3.1	18029	120.000	1	0	9.688



Pos. 4 - **Name:** 200GL Open Hem at Top
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 3.812 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
4.1	18030	120.000	1	0	3.229




2" MECHANICAL LOCK

March 2021


Pos. 5 - **Name:** 200RCF - **4:12 Slope**

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 22 inch, **Bendings:** 9




Pos.	ID	Length [inch]	Amount	lbs	sqft
5.1	18031	120.000	1	0	18.299





Pos. 6 - **Name:** 200HE Open Hem at Top



Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 18.375 inch, **Bendings:** 8



Pos.	ID	Length [inch]	Amount	lbs	sqft
6.1	18034	120.000	1	0	15.285








2" MECHANICAL LOCK

March 2021

Pos. 9 - **Name:** 200EJC

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 8.625 inch, **Bendings:** 5




Pos.	ID	Length [inch]	Amount	lbs	sqft
9.1	18037	120.000	1	0	7.212

-180°	-90°	-90°	-135°	
0.500"	1.875"	4.000"	1.750"	0.500"

Pos. 10 - **Name:** 200SWF

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 11.501 inch, **Bendings:** 6




Pos.	ID	Length [inch]	Amount	lbs	sqft
10.1	18038	120.000	1	0	9.58

135°	90°	-90°	90°	-180°	
0.750"	4.500"	3.188"	1.938"	0.625"	0.500"



2" MECHANICAL LOCK

March 2021





Pos. 11 - **Name:** 200SWCF

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 4.175 inch, **Bendings:** 2

Pos.	ID	Length [inch]	Amount	lbs	sqft
11.1	18039	120.000	1	0	3.444




Pos. 12 - **Name:** Profiled Gable

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 14.688 inch, **Bendings:** 12

Pos.	ID	Length [inch]	Amount	lbs	sqft
12.1	18040	120.000	1	0	12.271






2" MECHANICAL LOCK

March 2021

Pos. 13 - **Name:** **1/8" open hem** End support

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 6.5 inch, **Bendings:** 1




Pos.	ID	Length [inch]	Amount	lbs	sqft
13.1	18041	19.685	1	0	0.861

5.000" 180° 1.500"

Pos. 14 - **Name:** Ridge Closure

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 4.5 inch, **Bendings:** 3




Pos.	ID	Length [inch]	Amount	lbs	sqft
14.1	18042	19.685	1	0	0.646

2.000" -95° 2.000" -180° 0.500"



2" MECHANICAL LOCK

March 2021



Pos. 15 - **Name:** Non Floating Sidewall

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 17.063 inch, **Bendings:** 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
15.1	18043	120.000	1	0	14.208

-180°
0.500"

Pos. 16 - **Name:** 1/8" Open Hems - Ridge Cap

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 22 inch, **Bendings:** 9




Pos.	ID	Length [inch]	Amount	lbs	sqft
16.1	18044	120.000	1	0	18.299

-180° 70° -70° -37° -70° 70° -180°
1.000" 2.500" 1.500" 6.000" 1.500" 2.500" 1.000"



2" MECHANICAL LOCK


March 2021



Pos. 17 - **Name:** Vented Ridge Clip - 3" Long - 16ga
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5.312 inch, **Bendings:** 2

Pos.	ID	Length [inch]	Amount	lbs	sqft
17.1	18045	120.000	1	0	4.413

1.750" -90° 1.812" 90° 1.750"



Pos. 18 - **Name:** 200 LONG GL Open Hem at Top
Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.312 inch, **Bendings:** 5


Pos.	ID	Length [inch]	Amount	lbs	sqft
18.1	18046	120.000	1	0	5.274

180° -90° -45° 180°
0.562" 0.625" 4.000" 0.625" 0.500"



2" MECHANICAL LOCK

March 2021




Pos. 19 - **Name:** 200 LONG LE 1/12

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 13.905 inch, **Bendings:** 7


Pos.	ID	Length [inch]	Amount	lbs	sqft
19.1	18047	120.000	1	0	11.625




Pos. 20 - **Name:** 200 LONG Ridge Cap 112

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 32 inch, **Bendings:** 9



Pos.	ID	Length [inch]	Amount	lbs	sqft
20.1	18048	120.000	1	0	26.694






2" MECHANICAL LOCK

March 2021


Pos. 21 - **Name:** RC200 LONG/FLAT

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 23 inch, **Bendings:** 5




Pos.	ID	Length [inch]	Amount	lbs	sqft
21.1	18049	120.000	1	0	19.16



Pos. 22 - **Name:** 2" L Flashing

Material: Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 4 inch, **Bendings:** 5



Pos.	ID	Length [inch]	Amount	lbs	sqft
22.1	18050	120.000	1	0	3.337

